

TEST REPORT

Page 1 of 3

| REPORT NUMBER : | TUR08R005724 | | |
|--|---|------------|--|
| APPLICANT NAME | Atos Kilit San. Tic. Ltd. Şti. | | |
| ADDRESS | Topçular Mah. Hayri Celal Atamer Sok. No: 3 Eyüp – İstanbul FAX NO : 0212 567 34 46 Attention :Arslan Öztürk (info@atoskilit.com) | | |
| SAMPLE DESCRIPTION : Sample 1 Sample 2 Sample 3 | One sample of 50.001 HPR SAC metal item | | |
| DATE IN : | 25 January, 2008 | | |
| DATE OUT : | 25 January, 2008 | | |
| REQUEST : | RoHS Test was performed on the items. | | |
| RESULTS : | See attachment | | |
| CONCLUSION : | Testing Item | Conclusion | |
| | Sample 1 | PASS | |
| | Sample 2 | PASS | |
| | | | |

The test results relate only to the items tested. The report shall not be reproduced except in full, without the written approval of the laboratory. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and UKAS accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of UKAS accreditation. Tests marked (*) in this test report are not included in the UKAS accreditation schedule for this laboratory.

PASS

Sample 3

PP Yn

Zeynep Akın Neslihan Sözer Chemical Laboratory Manager



Intertek Test Hizmetleri A.S. Fatih Cad. Dereboyu Sok. No.: 4 / 2 34303 Halkalı – ISTANBUL / TURKEY Phone : +90.212. 471 00 65 Fax: +90.212. 471 11 72 e-mail : labtest.turkey@intertek.com www.intertek-labtest-tur.com



REPORT :TUR08R005724

Page 2 of 3

25 January, 2008

(A) Test Method Summary

| Testing Item | Result | | RoHS Limit (ppm) | |
|--|----------|----------|------------------|------------------|
| - | Sample 1 | Sample 2 | Sample 3 | |
| | | | | |
| Cadmium (Cd) Content | ND | ND | ND | 0.01 % (100 ppm) |
| Chromium VI (Cr+6) Content (µg/cm ²) (for metal) | ND | ND | ND | |
| Chromium VI (Cr+6) Result (By spot test on metal) | NEGATIVE | NEGATIVE | NEGATIVE | NEGATIVE |
| Lead (Pb) Content | ND | ND | ND | 0.1 % (1000 ppm) |
| Mercury (Hg) Content | ND | ND | ND | 0.1 % (1000 ppm) |
| Flame Retardants | | | | 0.1 % (1000 ppm) |
| Polybrominated Biphenyls (PBB) | NA | NA | NA | |
| Monobromobiphenyl (MonoBB) | NA | NA | NA | |
| Dibromobiphenyl (DiBB) | NA | NA | NA | |
| Tribromobiphenyl (TriBB) | NA | NA | NA | |
| Tetrabromobiphenyl (TetraBB) | NA | NA | NA | |
| Pentabromobiphenyl (PentaBB) | NA | NA | NA | |
| Hexabromobiphenyl (HexaBB) | NA | NA | NA | |
| Heptabromobiphenyl (HeptaBB) | NA | NA | NA | |
| Octabromobiphenyl (OctaBB) | NA | NA | NA | |
| Nonabromobiphenyl (NonaBB) | NA | NA | NA | |
| Decabromobiphenyl (DecaBB) | NA | NA | NA | |
| Polybrominated Diphenyl Ethers (PBDE) | NA | NA | NA | |
| Monobromodiphenyl Ether (MonoBDE) | NA | NA | NA | |
| Dibromodiphenyl Ether (DiBDE) | NA | NA | NA | |
| Tribromodiphenyl Ether (TriBDE) | NA | NA | NA | |
| Tetrabromodiphenyl Ether (TetraBDE) | NA | NA | NA | |
| Pentabromodiphenyl Ether (PentaBDÉ) | NA | NA | NA | |
| Hexabromodiphenyl Ether (HexaBDE) | NA | NA | NA | |
| Heptabromodiphenyl Ether (HeptaBDE) | NA | NA | NA | |
| Octabromodiphenyl Ether (OctaBDE) | NA | NA | NA | |
| Nonabromodiphenyl Ether (NonaBDÉ) | NA | NA | NA | |
| Decabromodiphenyl Ether (DecaBDE) | NA | NA | NA | |

Remarks : ppm=Parts per million based on dry weight of sample

 μ g/cm²=Microgram per square centimetre mg/kg with 50 cm²=Milligram per kilogram with 50 square centimetre

<=Less than ND =Not detected

NA =Not applicable NR =Not requested

(B) Test Method :

| Testing Item | Testing Method | Reporting Limit |
|-----------------------------------|---|--|
| Cadmium (Cd)Content | With reference to IEC 62321-111/54/CDV,by acid digestion and determined by ICP-OES | 2 ppm |
| Lead (Pb)Content | With reference to IEC 62321-111/54/CDV,by acid digestion and determined by ICP-OES | 2 ppm |
| Mercury (Hg)Content | With reference to IEC 62321-111/54/CDV,by acid digestion and determined by ICP-OES | 2 ppm |
| Chromium VI (Cr6+)(For non-metal) | With reference to IEC 62321-111/54/CDV,by alkaline digestion and determined by UV-VIS spectrophotometer | 1 ppm |
| Chromium VI (Cr6+)(For metal) | With reference to IEC 62321-111/54/CDV,by SPOT TEST | 1 ppm (IN TESTING SOLUTION) |
| Chromium VI (Cr6+)(For metal) | With reference to IEC 62321-111/54/CDV,by boiling water extraction and determined by UV-VIS spectrophotometer | 0.02 mg/kg with 50 cm ² (IN TESTING SOLUTION) |
| PBBs/PBDEs | With reference to IEC 62321-111/54/CDV,by solvent extraction and determined by GC/MS and HPLC | 5 ppm |

NOTE : Tests were conducted with reference to 11/54/CDV version 2006-05-05 which is still a draft method and subject to future changes prior to publication. The above limits were quoted from 2002/95/EC and amendment 2005/618/EC for homogeneous material.



Intertek Test Hizmetleri A.S. Fatih Cad. Dereboyu Sok. No.: 4 / 2 34303 Halkalı – ISTANBUL / TURKEY Phone : +90.212. 471 00 65 Fax: +90.212. 471 11 72 e-mail : labtest.turkey@intertek.com www.intertek-labtest-tur.com



Page 3 of 3 25 January, 2008

Sample 1



Sample 2



Sample 3



END OF TEST REPORT



Intertek Test Hizmetleri A.S. Fatih Cad. Dereboyu Sok. No.: 4 / 2 34303 Halkalı – ISTANBUL / TURKEY Phone : +90.212. 471 00 65 Fax: +90.212. 471 11 72 e-mail : labtest.turkey@intertek.com www.intertek-labtest-tur.com